

APPLICATION BY ENGINE

Heavy Duty Mufflers for Trucks, Stationary & Off-Road Equipment

| Cyl. | C.I.D. | Engine Model | Fuel | Mega Flow Muffler | Muffler | Cyl. | C.I.D. | Engine Model | Fuel | Mega Flow Muffler | Muffler |
|-------------------------------|--------|--|------|-------------------|--------------------|--|----------|--------------------------------|------|-------------------|---------------------|
| ALLIS-CHALMERS ENGINES | | | | | | CATERPILLAR ENGINES Cont'd | | | | | |
| 6 | 273 | 6DA-273 | | | | 6 | 893 | | D | 22963 | 22920 |
| | | w/2" Inlet | D | | 21169 | 8 | 636 | 3208 | D | 22966 | |
| | | w/2½" Inlet | D | | 21475 | 8 | 522 | | D | 22966 | |
| | | w/2¾" Inlet | D | | 21152 | | 573, 636 | | | | |
| 6 | 301 | 2800, 2900 | D | | 21476 | 8 | 636 | | D | 22966 | |
| 6 | 317 | 6DT-317 | | | | 8 | 700 | | D | 22964 | |
| | | w/2½" Inlet | D | | 21475 | 8 | 1099 | | D | 22963 | 22920 |
| | | w/3" Inlet | D | | 21476 | 8 | 1099 | | D | 22963 | 22920 |
| 6 | 426 | 3400 | D | | 22808 | CHEVROLET ENGINES | | | | | |
| | | 3500 | | | | 4 | 238 | 238 | D | | 21169 |
| | | Vertical | D | 22965 | | 6 | 216, | 216, 230, 235 | G | | 21169 |
| | | Horizontal | D | | 21174 ¹ | | 230, 235 | | | | |
| 6 | 468 | 6DT-468 | | | | 6 | 250 | 250 | G | | 21475 |
| | | w/3" Inlet | D | | 21476 | 6 | 261 | 261 | G | | 21169 |
| | | w/3½" Inlet | D | | 22808 | 6 | 262 | 262 | G | | 21151 |
| 6 | 516 | 10,000 | D | | 22808 | 6 | 292 | 292 | G | | 21475 |
| | | 11,000 | | | | 6 | 351 | 351 | G | | 21475 |
| | | Vertical | D | 22965 | | 6 | 478 | | G | | 21475 ⁸ |
| | | Horizontal | D | | 21174 ¹ | 8 | 265 | 265 | G | | 21169 |
| 6 | 779 | 6DA-779, 6DAT-779 | | | | 8 | 283 | 283 | G | | 21475 ²¹ |
| | | Vertical | D | 22965 | | 8 | 307 | 307 | G | | 21475 |
| | | Horizontal | D | | 21174 ¹ | 8 | 322 | 322 | G | | 21475 ²¹ |
| 6 | 844 | 6DA-844, 6DAS-844, 16000, 17000, 21000 | | | | 8 | 327 | 327 | G | | 21475 |
| | | Vertical | D | 22965 | | | 348 | 348 | G | | 21475 |
| | | Horizontal | D | | 21174 ¹ | 8 | 350, | | G | | 21475 |
| | | 21000, 25000 | | | | | 360, 396 | | | | |
| | | w/5" Inlet | D | 22964 | | 8 | 366 | 366 (Single Exhaust) | G | | 21475 |
| 8 | 1125 | 8DA-1125, 8DAS-1125 | | | | 8 | 379 | 379 (Dual Exhaust, 2 required) | D | | 21151 |
| | | Vertical | D | 22965 | | 8 | 400, 401 | | G | | 21475 ⁸ |
| | | 9DA-1125 | | | | 8 | 409, 427 | Duals, 2 required | G | | 21475 |
| | | Horizontal | D | | 21174 ¹ | 8 | 454 | 454 (Dual Exhaust, 2 required) | G | | 21151 |
| AUTOCAR ENGINES | | | | | | CHRYSLER ENGINES - See Dodge Listings | | | | | |
| 6 | 337 | 337 | G | | 21476 | CONTINENTAL ENGINES | | | | | |
| 6 | 447 | 447 | G | | 21476 | 3 | 144 | D132H | D | | 21169 |
| 6 | 501 | 501 | G | | 21476 | | | | | | |
| CATERPILLAR ENGINES | | | | | | | | | | | |
| 6 | 525 | | D | 22965 | 22936 | | | | | | |
| 6 | 638 | | D | 22966 | | | | | | | |
| 6 | 893 | 1673TA, 1693T, 1693TA, 3406 | D | 22966 | | | | | | | |

- 1 Inlet & Outlet on opposite side.
- 2 Also available in 7" diameter 22810 Muffler (all Aluminized Steel).
- 3 For models w/Duals use (2) 21475 or 22822 w/Dual Inlet & Single Outlet.
- 8 For models w/Duals use (2) 21476 Mufflers.
- 9 For models w/5" exhaust system use 22964 Mega Flow Muffler.

- 11 For single exhaust w/3½" Inlet use 22808 Muffler.
- 14 Also available, 22822 Muffler w/Dual Inlet & Single Outlet.
- 18 Requires 41975 Reducer to complete installation.
- 20 Two Mufflers required.
- 21 For models w/duals use (2) 21169 Mufflers.

ACCESSORIES

TECH-FIT

HEAVY DUTY TRUCK
GVW 7-8

APPLICATION BY ENGINE

MEDIUM DUTY TRUCK
GVW 3-6

SCHOOL BUS

AGRICULTURAL

MUFFLER SPECS

O.E. CROSS INDEX

APPLICATION BY ENGINE

Heavy Duty Mufflers for Trucks, Stationary & Off-Road Equipment

| Cyl. | C.I.D. | Engine Model | Fuel | Mega Flow Muffler | Muffler | Cyl. | C.I.D. | Engine Model | Fuel | Mega Flow Muffler | Muffler | |
|-----------------------------------|---------------|---|----------|--------------------------------|---------|-----------------------------------|----------|----------------------------|----------|-------------------|--------------------|-------|
| CONTINENTAL ENGINES Cont'd | | | | | | CONTINENTAL ENGINES Cont'd | | | | | | |
| 4 | 124 | F-4124, F-4125 | | | | 6 | 572 | R-6572, R0-6572 | | | | |
| | | w/2" Inlet | G | | 21169 | | | w/3" Inlet | G, D | | 21476 | |
| | | w/2½" Inlet | G | | 21475 | | | w/3½" Inlet | G, D | | 22808 | |
| | | w/2¾" Inlet | G | | 21152 | | | R-6572 | | | | |
| 4 | 140 | F-4140, F-4141 | | | | 6 | 602 | R-6602 | | | | |
| | | w/2½" Inlet | G | | 21475 | | | w/3" Inlet | G | | 21476 | |
| | | w/2¾" Inlet | G | | 21152 | | | w/3½" Inlet | G | | 22808 | |
| 4 | 159 | R-817 | | G | | | | | | 21169 | | |
| 4 | 162 | F-4162, F-4163, F-163 | | | | 6 | 749 | S-6749 | | G | | |
| | | w/2" Inlet | G | | 21169 | | | w/4" Inlet Vertical | G | 22965 | | |
| | | w/2½" Inlet | G | | 21475 | | | w/4" Inlet Horiz. | G | | 21174 ¹ | |
| 4 | 192, 193 | D-142H, GC-193 | | D | | | | | | | 21169 | |
| | | 6 | 186, 209 | F-6186, F-6187, F-6209, F-6210 | | | | 6 | 802, 820 | SD-6802, S-6820 | | |
| | | | | w/2" Inlet | G | | 21169 | | | Vertical | G | 22965 |
| w/2½" Inlet | G | | | | 21475 | Horizontal | G | | | | 21174 ¹ | |
| 6 | 226, 244, 271 | F-6225, F0-6226, F-6227 F-6244, F-6245, F0-6245, M-6271, K-6271, F-227, F-245 | | | | 8 | 603 | V-8603 | | | | |
| | | w/2" Inlet | G | | 21169 | | | 3½" Vertical | G | | 22808 | |
| | | w/2½" Inlet | G | | 21475 | | | V-8603, VD-8603 | | | | |
| 6 | 288 | D-162H | | D | | | | 4" Horizontal | | G, D | | |
| | | w/2¾" Inlet | G | | 21152 | VD-8603 | | | | | | |
| | | | | | | 4" Vertical | | D | 22965 | | | |
| 6 | 290, 330, 363 | M-6290, K-6290, M-6330, K-6330, M-6363, G-6363 | | | | 6 | 288 | V-8603 | | | | |
| | | w/2" Inlet | G | | 21169 | | | V-8603 | | | | |
| | | w/2½" Inlet | G | | 21475 | | | Duals, w/2½" Inlet | G | | 21475 | |
| 6 | 371 | B-6371, T-6371 | | | | 8 | 603 | V-8603, VD-8603 | | | | |
| | | w/2½" Inlet | G | | 21475 | | | Duals, w/3" Inlet | G, D | | 21476 | |
| | | w/3" Inlet | G | | 21476 | | | CUMMINS ENGINES | | | | |
| 6 | 427 | B-6371, T-6427 | | | | 4 | 3.9L | 4BT, 4BTA, B3.9 | | | | |
| | | w/2½" Inlet | G | | 21475 | | | w/2½" Inlet Horiz. | D | | 21475 | |
| | | B-6427, T-6427, TD-6427 | | | | | | w/3" Inlet Horiz. | D | | 21476 | |
| | | w/3" Inlet | G, D | | 21476 | | | w/4" Inlet Horiz. | D | | 21832 | |
| 6 | 478 | L-6478 | | | | 6 | 5.9L | 6BT, 6BTA, B5.9 | | | | |
| | | w/3½" Inlet | G, D | | 22808 | | | w/3" Inlet Horiz. | D | | 21476 | |
| | | w/3" Inlet | G | | 21476 | | | w/4" Inlet Horiz. | D | | 21832 | |
| 6 | 501, 513 | U-6501, R-6513 | | | | 6 | 8.3L | 6CT, 6CTA, C8.3 | | | | |
| | | w/2½" Inlet | G | | 21475 | | | FD1060 w/4" Inlet Vertical | D | 22969 | 22916 | |
| | | w/3" Inlet | G | | 21476 | | | w/4" Inlet Horiz. | D | | 22004 | |
| 4 | 448 | H, H-400 | | | | 4 | 307, 309 | C-90, C-105 | | | | |
| | | w/3½" Inlet | G | | 22808 | | | w/5" Inlet Horiz. | D | | 22381 | |
| | | w/3" Inlet | G | | 22808 | | | w/4" Inlet Vertical | D | 22965 | 22936 | |

1 Inlet & Outlet on opposite side.
 2 Also available in 7" diameter 22810 Muffler (all Aluminized Steel).
 3 For models w/Duals use (2) 21475 or 22822 w/Dual Inlet & Single Outlet.
 8 For models w/Duals use (2) 21476 Mufflers.
 9 For models w/5" exhaust system use 22964 Mega Flow Muffler.

11 For single exhaust w/3½" Inlet use 22808 Muffler.
 14 Also available, 22822 Muffler w/Dual Inlet & Single Outlet.
 18 Requires 41975 Reducer to complete installation.
 20 Two Mufflers required.
 21 For models w/duals use (2) 21169 Mufflers.

APPLICATION BY ENGINE

Heavy Duty Mufflers for Trucks, Stationary & Off-Road Equipment

| Cyl. | C.I.D. | Engine Model | Fuel | Mega Flow Muffler | Muffler | Cyl. | C.I.D. | Engine Model | Fuel | Mega Flow Muffler | Muffler | | | | | | | | | | | | |
|-------------------------------|----------|---|------------------------|-------------------|----------|---|--------------------|---|------|---|---------|------------------------------------|--------------------|-----------------------------|-------|--|--------------------|-------|-------|-------------------|---|-------|-------|
| CUMMINS ENGINES Cont'd | | | | | | CUMMINS ENGINES Cont'd | | | | | | | | | | | | | | | | | |
| 4 | 495 | HR-400, HRC-400, NHC-440, NT-4, HR-4, HRC-4, HNC-4 | D | | 22808 | 6 | 927 | N-927, Super 250 | D | 22963 | 22920 | | | | | | | | | | | | |
| | | | | | | | | | | | | 6 | 1150 | KT-450, KTA-525, KTA-600 | D | 22963 | 22920 | | | | | | |
| | | | | | | | | | | | | | | | | | | 8 | 504 | V8-185, V8-210 | D | | 21832 |
| | | | | | | | | | | | | | | | | | | | | | | | |
| 8 | 785 | Vertical | D | 22965 | | | | | | | | | | | | | | | | | | | |
| | | | | | | 8 | 903 | V-265, V-903, VT-903 V-903T (Turbo Kit) | D | 22965 | 22936 | | | | | | | | | | | | |
| | | | | | | | | | | | | 6 | 352 | V6-130, V6-140 | D | | 22808 ³ | | | | | | |
| | | | | | | | | | | | | | | | | | | 6 | 377 | A-600 | | | |
| w/3" Inlet | D | | 21476 | | | | | | | | | | | | | | | | | | | | |
| | | | | w/3½" Inlet | D | | 22808 | | | | | | | | | | | | | | | | |
| | | | | | | | | 6 | 378 | V6-155, V-378 | D | | 22808 ³ | | | | | | | | | | |
| | | | | | | | | | | | | | | 6 | 401 | J-600, JF-600, JN-600, JS-600, JBS-600, JNS-600, JN-130, JNF-130 | | | | | | | |
| w/3" Inlet | D | | 21476 | | | | | | | | | | | | | | | | | | | | |
| | | | | w/3½" Inlet | D | | 22808 | | | | | | | | | | | | | | | | |
| | | | | | | | | JT-600 | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | Vertical | D | 22965 | | | | | | | | | |
| Horizontal | D | | 21174 ¹ | | | | | | | | | | | | | | | | | | | | |
| | | | | 6 | 464 | C-160, CF-160 | | | | | | | | | | | | | | | | | |
| | | | | | | | | w/3½" Inlet | D | | 22808 | | | | | | | | | | | | |
| | | | | | | | | | | | | C-160, CF-160, C-175, C-180, C-190 | | | | | | | | | | | |
| Vertical | D | 22965 | | | | | | | | | | | | | | | | | | | | | |
| | | | | Horizontal | D | | 21174 ¹ | | | | | | | | | | | | | | | | |
| | | | | | | | | 6 | 611 | L10 | D | | | | | 22963 | 22920 | | | | | | |
| | | | | | | | | | | | | 6 | 672 | NH-180, NH-195, H-600 | | | | | | | | | |
| Vertical | D | 22965 | | | | | | | | | | | | | | | | | | | | | |
| | | | | Horizontal | D | | 21174 ¹ | | | | | | | | | | | | | | | | |
| | | | | | | | | HS, HS-6, HS-600 | D | 22965 | | | | | | | | | | | | | |
| | | | | | | | | | | | | 6 | 673 | NH-220, NH-220T (Turbo Kit) | D | 22965 | 22936 | | | | | | |
| 6 | 855 | Big Cam IV, F-300 F-315, Fleet 270, Fleet 300, Formula 240, 250, 270, 290 300, 350, 400, N14 NH-230, NTC-230, NH-250, NTC-250, NTC-250T (Turbo Kit), NTC-270, NTC-270CT, NTC-290, NTC-300, NTC-315, NTC-335, NTC-350, NTF-365, NTA-370, NTA-400, NTC-400, NTA-420, PT-240, PT-270, PT-315, PT-330 | D | | | | | | | | | | | | | | | 22963 | 22920 | | | | |
| | | | | 6 | 950 | V8-350 Duals | | | | | | | | | | | | | | | | | |
| | | | | | | | | Vertical | D | 22965 ²⁰ | | | | | | | | | | | | | |
| | | | | | | | | | | | | VT8-430, V8-350 Duals | | | | | | | | | | | |
| Horizontal | D | | 21174 ^{1, 20} | | | | | | | | | | | | | | | | | | | | |
| | | | | VT8-430 Duals | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | Vertical | D | 22965 ^{9, 20} | | | | | | | | | | | | | |
| | | | | | | | | | | | | DETROIT DIESEL ENGINES | | | | | | | | | | | |
| 2 | 106, 142 | 2-53, 2-71 | D | | | | | | | | | | 21475 | | | | | | | | | | |
| | | | | 3 | 159, 213 | 3-53, 3-53N, 3-71 | D | | | | | | | | 21476 | | | | | | | | |
| | | | | | | | | 4 | | 4-53, 4-53N, 4-51 | D | | | | | | 22808 | | | | | | |
| | | | | | | | | | | | | | | | | | | 4 | 318 | 4-53T | D | | 22004 |
| 6 | 244 | Phaser 4.0L | D | | | | | | | | | | 21832 | | | | | | | | | | |
| | | | | 6 | 318 | 6V-53, 6V-53N, 6V-53T | D | | | | | | | 22965 | | | | | | | | | |
| | | | | | | | | 6 | 426 | 6-71T, 6-71TA, 6-71TTA, 6-71TAC | D | | | | | 22963 | 22920 | | | | | | |
| | | | | | | | | | | | | | | | | | | 6 | 426 | 6-71N | D | 22965 | |
| 6 | 774 | Series 60 (12.7L) | D | | | | | | | | | 22963 | 22920 | | | | | | | | | | |
| | | | | V-6 | 426 | 6V-71T, 6V-71N | D | | | | | | | 22963 | 22920 | | | | | | | | |
| | | | | | | | | 6 | 552 | 6V-92, 6V-92N, 6V-92T, 6V-92TA, 6V-92TAC, 6V-92TT, 6V-92TTA | D | | | | | 22963 | 22920 | | | | | | |
| | | | | | | | | | | | | | | | | | | 6 | 677 | Series 60 (11.1L) | D | 22963 | 22920 |
| V-6 | 736 | 6V-92T, 6V-92TA, 6V-92TT, 6V-92TTA | D | | | | | | | | | 22963 | 22920 | | | | | | | | | | |
| | | | | 8 | 366 | Phaser 6.0L | D | | | | | | | | 21832 | | | | | | | | |
| | | | | | | | | 8 | 379 | 6.2L (Dual Exhaust, 2 required) | D | | | | | | 21151 | | | | | | |
| | | | | | | | | | | | | | | | | | | 8 | 500 | 8-2N, 8-2T | D | 22965 | |
| 8 | 568 | 8V-71, 8V-71N, 8V-71T, 8V-71TA, 8V-71TT, 8V-71TTA | D | | | | | | | | | 22963 | 22920 | | | | | | | | | | |
| | | | | 8 | 736 | 8V-92, 8V-92N, 8V-92T, 8V-92TA, 8V-92TT, 8V-92TAC, 8V-92TTA | D | | | | | | | 22963 | 22920 | | | | | | | | |

1 Inlet & Outlet on opposite side.

2 Also available in 7" diameter 22810 Muffler (all Aluminized Steel).

3 For models w/Duals use (2) 21475 or 22822 w/Dual Inlet & Single Outlet.

8 For models w/Duals use (2) 21476 Mufflers.

9 For models w/5" exhaust system use 22964 Mega Flow Muffler.

11 For single exhaust w/3½" Inlet use 22808 Muffler.

14 Also available, 22822 Muffler w/Dual Inlet & Single Outlet.

18 Requires 41975 Reducer to complete installation.

20 Two Mufflers required.

21 For models w/duals use (2) 21169 Mufflers.

ACCESSORIES

TECH-FIT

HEAVY DUTY TRUCK GVM 7-8

APPLICATION BY ENGINE

MEDIUM DUTY TRUCK GVM 3-6

SCHOOL BUS

AGRICULTURAL

MUFFLER SPECS

O.E. CROSS INDEX

APPLICATION BY ENGINE

Heavy Duty Mufflers for Trucks, Stationary & Off-Road Equipment

| Cyl. | C.I.D. | Engine Model | Fuel | Mega Flow Muffler | Muffler | Cyl. | C.I.D. | Engine Model | Fuel | Mega Flow Muffler | Muffler |
|----------------------|----------|--------------------------------------|------|-------------------|--------------------|---|---------------|---|------|-------------------|--------------------|
| DEUTZ ENGINES | | | | | | DEUTZ ENGINES Cont'd | | | | | |
| 3 | 156, 175 | F3L-812, F3L-912 | D | | 21169 | 8 | 779 | BF8L-513 | | | |
| 3 | 419 | F3L-716, F3M-716 | D | | 21476 | | | Vertical | D | | 22808 |
| 4 | 207 | F4L-712, F4L-812 | | | | | | Horizontal | D | | 21174 ¹ |
| | | w/2" Inlet | D | | 21169 | 8 | 1118 | F8M-716 | D | 22965 | |
| | | w/2½" Inlet | D | | 21475 | | | BF8M-716 | D | 22964 | |
| | | w/2¾" Inlet | D | | 21152 | 10 | 862 | F10L-413 | | | |
| 4 | 230 | F4L-912 | D | | 21169 | | | Vertical | D | 22965 | |
| 4 | 325 | FA4L-514 | | | | | | Horizontal | D | | 21174 ¹ |
| | | w/2½" Inlet | D | | 21475 | 10 | 966 | F10L-714 | | | |
| | | w/3" Inlet | D | | 21476 | | | Vertical | D | 22965 | |
| 4 | 559 | F4L-716, F4M-716 | D | | 22808 | | | Horizontal | D | | 21174 ¹ |
| 5 | 287 | F5L-912 | | | | 12 | 974 | F12L-614, BF12L-614, FA12L-614 | D | 22965 | |
| | | w/2" Inlet | D | | 21169 | 12 | 1035 | F12L-413 | | | |
| | | w/2½" Inlet | D | | 21475 | | | Vertical | D | 22965 | |
| | | w/3" Inlet | D | | 21476 | | | Horizontal | D | | 21174 ¹ |
| 6 | 311 | F6L-712, F6L-812 | | | | 12 | 1157 | F12L-714 | D | 22965 | |
| | | w/2" Inlet | D | | 21475 | 12 | 1677 | F12M-716, BF12L-716, BF12M-716 | D | 22964 | |
| | | w/3" Inlet | D | | 21476 | DIAMOND REO ENGINES - SEE REO LISTINGS | | | | | |
| 6 | 345 | F6L-912 | D | | 21476 | DODGE ENGINES (Including Chrysler) | | | | | |
| 6 | 374 | BF6L-913, BF6L-913A | D | | 21476 | 6 | 170 | TR-17, TS-17, AT-170 | G | | 21169 |
| 6 | 487 | F6L-514, FA6L-514, BFA6L-514 | | | | 6 | 198 | 198 | G | | 21169 |
| | | w/3" Inlet | D | | 21476 | 6 | 218 | T-334, T-336 | G | | 21169 |
| | | w/3½" Inlet | D | | 22808 | 6 | 225 | TR-22, TS-22, AT-225 | G | | 21169 |
| 6 | 518 | F6L-413 | D | | 22808 | 6 | 230 | T-338, T-342, T-362, TP-23, TR-23 | G | | 21169 |
| 6 | 79 | F6L-714 | | | | 6 | 237 | T-326, T-328 | G | | 21169 |
| | | w/3½" Inlet | D | | 22808 | 6 | 251 | T-328, T-330, TX-330, TX-342 | G | | 21475 |
| | | w/4" Inlet | D | | 21174 ¹ | 6 | 306, 331, 337 | T-344, T-356, TP-25, TR-25, TS-25, AT-251 | G | | 21476 |
| 6 | 838 | F6L-716, BF6L-716, F6M-716, BF6M-716 | | | | 6 | 413 | T-352 | G | | 22822 |
| | | Vertical | D | 22965 | | 8 | 318 | 318 | G | | 21151 |
| | | Horizontal | D | | 21174 ¹ | 8 | 331, 354, 360 | VT-348, VT-350, VTX-350, 8-354 | G | | 21475 |
| 8 | 649 | F8L-614, FA8L-614, 8FA8L-614 | | | | | | | | | |
| | | Vertical | D | 22965 | | | | | | | |
| | | Horizontal | D | | 21174 ¹ | | | | | | |
| 8 | 691 | F8L-413, F8L-513 | | | | | | | | | |
| | | Vertical | D | 22965 | | | | | | | |
| | | Horizontal | D | | 21174 ¹ | | | | | | |
| 8 | 771 | F8L-714 | | | | | | | | | |
| | | Vertical | D | 22965 | | | | | | | |
| | | Horizontal | D | | 21174 ¹ | | | | | | |

1 Inlet & Outlet on opposite side.

2 Also available in 7" diameter 22810 Muffler (all Aluminized Steel).

3 For models w/Duals use (2) 21475 or 22822 w/Dual Inlet & Single Outlet.

8 For models w/Duals use (2) 21476 Mufflers.

9 For models w/5" exhaust system use 22964 Mega Flow Muffler.

11 For single exhaust w/3½" Inlet use 22808 Muffler.

14 Also available, 22822 Muffler w/Dual Inlet & Single Outlet.

18 Requires 41975 Reducer to complete installation.

20 Two Mufflers required.

21 For models w/duals use (2) 21169 Mufflers.

APPLICATION BY ENGINE

Heavy Duty Mufflers for Trucks, Stationary & Off-Road Equipment

| Cyl. | C.I.D. | Engine Model | Fuel | Mega Flow Muffler | Muffler | Cyl. | C.I.D. | Engine Model | Fuel | Mega Flow Muffler | Muffler |
|--|----------|-------------------------------------|------|-------------------|---------|---|----------|---------------------------|------|-------------------|---------|
| DODGE ENGINES (Including Chrysler) Cont'd | | | | | | FORD ENGINES Cont'd | | | | | |
| 8 | 361 | TP-36, TR-36, TS-36, AT-361 | | | | 8 | 351 | 351 w/2BBL Carb. | G | | 21475 |
| | | Duals | G | | 21475 | 8 | 352 | EHC w/2BBL Carb. | G | | 21475 |
| | | w/Dual Inlet | G | | 22822 | 8 | 359 | 359 | G | | 21475 |
| 8 | 383 | | G | | 21260 | 8 | 360 | 360 | G | | 21475 |
| 8 | 400 | 400 | G | | 21475 | 8 | 361 | EFW | G | | 21475 |
| 8 | 413 | TP-41, TR-41, TS-41, AT-413, HT-413 | | | | 8 | 370 | 370 | G | | 22866 |
| | | Duals | G | | 21475 | 8 | 390 | 390 | G | | 21475 |
| | | w/Dual Inlet | G | | 22822 | 8 | 391 | EFY | G | | 21475 |
| 8 | 440 | 440 (Duals, 2 required) | G | | 21475 | 8 | 420 | 6.9 Liter | D | | 21475 |
| 8 | 477, 548 | 447, 558 | | | | 8 | 429 | 429 | G | | 22866 |
| | | w/Single Exhaust | G | | 22808 | 8 | 445 | 7.3 Liter | D | | 21475 |
| | | w/Dual Exhaust | G | | 21152 | 8 | 460 | 460 | G | | 21475 |
| | | | | | | 8 | 475 | 475 | G | | 21475 |
| FORD ENGINES | | | | | | GMC ENGINES (For Detroit Diesel, See Page 234) | | | | | |
| 4 | 220, 242 | U, J | D | | 21169 | 4 | 238 | 238 | D | | 21169 |
| 6 | 170 | EET, EEW | G | | 21169 | 6 | 230 | | G | | 21169 |
| 6 | 215 | EAG | G | | 21169 | 6 | 248 | | G | | 21475 |
| 6 | 223 | EBR, EBS, EBT | G | | 21169 | 6 | 250 | | G | | 21475 |
| 6 | 226 | 7HT | G | | 21169 | 6 | 270 | | G | | 21475 |
| 6 | 240 | EGY | G | | 21169 | 6 | 292 | | G | | 21475 |
| 6 | 250 | 250 | G | | 21169 | 6 | 302 | | G | | 21475 |
| 6 | 254 | 8MTH | G | | 21169 | 6 | 305 | 305A, B, C, E, V-6 | G | | 21475 |
| 6 | 262 | EER | G | | 21169 | 6 | 308 | 308-318 | G | | 21475 |
| 6 | 300 | EGY | G | | 21169 | 6 | 351 | 351, 351C, E, M, D351, V6 | | | |
| 6 | 300 | EGZ | G | | 21475 | | | Duals, 2 required | G, D | | 21475 |
| 6 | 330 | E | D | | 21475 | | | Single | G, D | | 21476 |
| 6 | 363 | W | D | | 21475 | 6 | 360 | 360, 361 | G | | 21476 |
| 6 | 401 | 6.6 Liter | D | | 22899 | 6 | 401 | 401, 401M, V-6 | | | |
| 8 | 478 | 7.8 Liter | D | | 22899 | | | Duals, 2 required | G | | 21475 |
| 8 | 239 | EBV, EBW | G | | 21169 | | | Single | G | | 21476 |
| 8 | 256 | EBZ | G | | 21475 | 6 | 478 | 477 | G | | 22808 |
| 8 | 272 | ECR, ECW, ECY | G | | 21169 | | | 478, 478M, D-478, DH-478 | | | |
| 8 | 279 | EAL | G | | 21475 | | | Duals | G, D | | 21475 |
| 8 | 289 | EGA | G | | 21169 | | | Single | G, D | | 21476 |
| 8 | 292 | EEH, EEJ, EEK | | | | 6 | 503 | 503 | G | | 22808 |
| | | w/2BBL Carb. | G | | 21169 | 6 | 660 | 6-110 | D | 22964 | |
| | | w/4BBL Carb. | G | | 21475 | 8 | 307, 317 | | G | | 21475 |
| 8 | 302 | ECS | G | | 21475 | | | | | | |
| 8 | 317 | EAM | G | | 21475 | | | | | | |
| 8 | 330 | EFU, EFV | G | | 21475 | | | | | | |
| 8 | 332 | ECT | G, D | | 21475 | | | | | | |
| 8 | 337 | 8EQ | G | | 21475 | | | | | | |

- 1 Inlet & Outlet on opposite side.
- 2 Also available is 7" diameter 22810 Muffler (all Aluminized Steel).
- 3 For models w/Duals use (2) 21475 or 22822 w/Dual Inlet & Single Outlet.
- 8 For models w/Duals use (2) 21476 Mufflers.
- 9 For models w/5" exhaust system use 22964 Mega Flow Muffler.

- 11 For single exhaust w/3½" Inlet use 22808 Muffler.
- 14 Also available, 22822 Muffler w/Dual Inlet & Single Outlet.
- 18 Requires 41975 Reducer to complete installation.
- 20 Two Mufflers required.
- 21 For models w/duals use (2) 21169 Mufflers.

ACCESSORIES

TECH-FIT

HEAVY DUTY TRUCK
GWW 7-8

APPLICATION BY ENGINE

MEDIUM DUTY TRUCK
GWW 3-6

SCHOOL BUS

AGRICULTURAL

MUFFLER SPECS

O.E. CROSS INDEX

APPLICATION BY ENGINE

Heavy Duty Mufflers for Trucks, Stationary & Off-Road Equipment

| Cyl. | C.I.D. | Engine Model | Fuel | Mega Flow Muffler | Muffler | Cyl. | C.I.D. | Engine Model | Fuel | Mega Flow Muffler | Muffler |
|---------------------------|---------|-------------------------|------|-------------------|---------|--------------------------------|--------|--|------|-------------------|---------|
| GMC ENGINES Cont'd | | | | | | HERCULES ENGINES Cont'd | | | | | |
| 8 | 324 | | G | | 21476 | 6 | 230 | QXD | | | |
| 8 | 336 | | G | | 21475 | | | w/2" Inlet | G | | 21169 |
| 8 | 347 | | G | | 21476 | | | w/2½" Inlet | G | | 21475 |
| 8 | 350 | Dual | G | | 21475 | 6 | 237 | QXLD, L237 | | | |
| | | Single | G | | 21476 | | | w/2" Inlet | G | | 21169 |
| 8 | 366 | 366 (Duals, 2 required) | G | | 21475 | | | w/2½" Inlet | G | | 21475 |
| 8 | 370 | | G | | 21476 | | | w/2¾" Inlet | G | | 21152 |
| 8 | 379 | 379 (Duals, 2 required) | D | | 21151 | 6 | 245 | JXE | | | |
| 8 | 396 | | G | | 21475 | | | w/2" Inlet | G | | 21169 |
| 8 | 396 | 6.5 Liter | D | 22965 | 22936 | | | w/2½" Inlet | G | | 21475 |
| | | | | | | | | w/3" Inlet | D | | 21476 |
| 8 | 400 | Dual | G | | 21475 | 6 | 249 | D1X6, D1X6D, D1X60 | | | |
| | | Single | G | | 21476 | | | w/2½" Inlet | D | | 21475 |
| 8 | 427 | | G | | 21475 | 6 | 260 | DJXB | | | |
| 8 | 454 | 454 (Duals, 2 required) | G | | 21151 | | | w/2½" Inlet | D | | 21475 |
| | | | | | | | | w/3" Inlet | D | | 21476 |
| 8 | 637 | 637, D-637, DH-637 | | | | 6 | 263 | JXB | G | | 21475 |
| | | Duals, 2 required | G | | 21476 | 6 | 272 | D1X6- 272 | | | |
| | | Vertical | D | 22965 | | | | w/2½" Inlet | D | | 21475 |
| 12 | 702 | Duals only, 2 required | | | 21476 | | | w/3" Inlet | D | | 21476 |
| HERCULES ENGINES | | | | | | 6 | 282 | JSC-JXC | G | | 21475 |
| 4 | 141-163 | G1400, G1600 | G | | 21169 | 6 | 298 | DJXC, DJXH, DJXHE, D290-HT, D3000-T, G3000 | G | | 21475 |
| 4 | 165 | D1X4D | | | | | | | D | | 21476 |
| | | w/2" Inlet | D | | 21169 | | | | | | |
| | | w/2½" Inlet | D | | 21475 | | | | | | |
| 4 | 198 | 2000 | D | | 21169 | 6 | 320 | JXD | G | | 21475 |
| 4 | 199 | D008 | | | | 6 | 339 | JXLD, G-3400, LPG, G3400 | | | |
| | | w/2" Inlet | D | | 21169 | | | w/2½" Inlet | G | | 21475 |
| | | w/2½" Inlet | D | | 21475 | | | w/3" Inlet | G | | 21476 |
| | | w/2¾" Inlet | D | | 21152 | 6 | 358 | WXLC, DWXC | | | |
| | | | | | | | | w/2½" Inlet | D | | 21475 |
| | | | | | | | | w/3" Inlet | G, D | | 21476 |
| | | | | | | | | w/3½" Inlet | D | | 22808 |
| 4 | 226 | DT3.7 Liter, 2300 | D | | 21832 | 6 | 383 | WXC-3 | | | |
| | | D00C, G2300 | | | | | | w/2½" Inlet | G | | 21475 |
| | | w/2" Inlet | G, D | | 21169 | | | w/3" Inlet | G | | 21476 |
| | | w/2½" Inlet | D | | 21475 | 6 | 404 | WXLC-3, DWXD | | | |
| | | w/2¾" Inlet | D | | 21152 | | | w/2½" Inlet | G | | 21475 |
| 4 | 255 | D00D | | | | | | w/3" Inlet | G, D | | 21476 |
| | | w/2½" Inlet | D | | 21475 | | | w/3½" Inlet | D | | 22808 |
| | | w/3" Inlet | D | | 21476 | 6 | 426 | DWXD, DWXLD, D-426, D-426T | | | |
| 6 | 221 | QXC | | | | | | w/3" Inlet | D | | 21476 |
| | | w/2" Inlet | G | | 21169 | | | w/3½" Inlet | D | | 22808 |
| | | w/2½" Inlet | G | | 21475 | | | | | | |

1 Inlet & Outlet on opposite side.

2 Also available is 7" diameter 22810 Muffler (all Aluminized Steel).

3 For models w/Duals use (2) 21475 or 22822 w/Dual Inlet & Single Outlet.

8 For models w/Duals use (2) 21476 Mufflers.

9 For models w/5" exhaust system use 22964 Mega Flow Muffler.

11 For single exhaust w/3½" Inlet use 22808 Muffler.

14 Also available, 22822 Muffler w/Dual Inlet & Single Outlet.

18 Requires 41975 Reducer to complete installation.

20 Two Mufflers required.

21 For models w/duals use (2) 21169 Mufflers.

APPLICATION BY ENGINE

Heavy Duty Mufflers for Trucks, Stationary & Off-Road Equipment

| Cyl. | C.I.D. | Engine Model | Fuel | Mega Flow Muffler | Muffler | Cyl. | C.I.D. | Engine Model | Fuel | Mega Flow Muffler | Muffler | |
|--------------------------------|----------|-------------------------------------|------|-------------------|---------------------|-------------------------------------|--------|--------------------------------|-------|-------------------|---------------------|-------|
| HERCULES ENGINES Cont'd | | | | | | INTERNATIONAL ENGINES Cont'd | | | | | | |
| 6 | 474 | TDXB, DRXB | | | | 6 | 269 | BD-269, BLD-269, SD-269 | | G | 21475 | |
| | | w/3" Inlet | D | | 21476 | | | | | | | |
| | | w/3½" Inlet | G, D | | 22808 | | | | | | | |
| 6 | 478 | D4800T | | D | 22965 | 22936 | 6 | 301 | D-301 | | 21475 | |
| 6 | 501, 529 | RXB, TDXC, TCD-501, RXC, RXLC, DRXC | | | | w/2½" Inlet | | | D | | | 21475 |
| | | w/3" Inlet | D | | 21476 | | | | | | | |
| | | w/3½" Inlet | G, D | | 22808 | | | | | | | |
| 6 | 558 | RXLD, RXLDH | | | | 6 | 308 | U-308, BD-308 | | G | 21152 | |
| | | w/3" Inlet | D | 22965 | | | | | | | | |
| | | w/4" Vertical | D | 22965 | | | | | | | | |
| 6 | 707, 779 | HXB, DFXB, HXC, DFXC, HXLC | | | | 6 | 354 | D-354 | | D | 21475 | |
| | | w/3" Inlet | D | | 21476 | | | | | | | |
| | | w/3½" Inlet | G, D | | 22808 | | | | | | | |
| 6 | 855 | DFXD, HXD, HXLD | | | | 6 | 360 | DT-360, DTA-360 | | D | 22899 | |
| | | Vertical | D | 22965 | | | | | | | | |
| | | Horizontal | G, D | | 21174 ¹ | | | | | | | |
| 6 | 895 | DFXE, DFXETS, TCD-895 | | | | 6 | 361 | RED-361 | | G | 21476 | |
| | | Vertical | D | 22965 | | | | | | | | |
| | | Horizontal | D | | 21174 ¹ | | | | | | | |
| 6 | 935 | DFXH, HXE, HXLE | | | | 6 | 372 | RD-372, U-372, UR-372 | | G | 21476 | |
| | | Vertical | D | 22965 | | | | | | | | |
| | | Horizontal | G, D | | 21174 ¹ | | | | | | | |
| 8 | 402 | D1XVB | | | | 6 | 401 | RED-401 | | G | 21476 | |
| | | Single Inlet | D | | 21475 | | | | | | | |
| | | Dual Inlet | D | | 22822 ¹¹ | | | | | | | |
| 8 | 1468 | DNX-V8, DNX-V8D | | | | 6 | 406 | To Ser. No. 42781 | | G | 21476 | |
| | | Vertical | D | 22964 | | | | | | | | |
| | | Horizontal | D | | 21174 ¹ | | | | | | | |
| INTERNATIONAL ENGINES | | | | | | 6 | 450 | RED-450, RD-450, U-450, UR-450 | | G | 21476 | |
| 4 | 196 | 196 | | G | | | | 21169 | | | | |
| 6 | 214 | GRD-214 | | G | | | | 21169 | | | | |
| 6 | 220 | SD-220, U-220, UB-220, GB-220 | | G | | 21169 | | | | | | |
| 6 | 233 | GRO-233 | | G | | 21169 | | | | | | |
| 6 | 240 | SD-240, UB-240, BG-241 | | G | | 21475 | | | | | | |
| 6 | 250 | BLD-250 | | G | | 21475 | | | | | | |
| 6 | 258 | 6-258 | | G | | 21475 | | | | | | |
| 6 | 264 | U-2646, UB-264, BD-264, BG-264 | | G | | 21475 | | | | | | |
| 8 | 266 | V-266 | | | | 8 | 304 | V-304 | | G | 21152 | |
| | | Single Inlet | D | | 21475 | | | | | | | |
| | | Dual Inlet | D | | 22822 ¹¹ | | | | | | | |
| 8 | 304 | UV-345, V-345 | | | | 8 | 345 | UV-345, V-345 | | G | 21476 | |
| | | Vertical | D | 22965 | | | | | | | | |
| | | Horizontal | D | | 21174 ¹ | | | | | | | |
| 8 | 392 | V-392 Pickup Models | | | | 8 | 390 | V-390 | | G | 22808 | |
| | | Vertical | D | 22964 | | | | | | | | |
| | | 5" | D | 22964 | | | | | | | | |
| 8 | 400 | 400 | | | | 8 | 400 | 400 | | G | 22965 | |
| | | Single Inlet | D | | 21151 | | | | | | | |
| | | Dual Inlet | D | | 21152 | | | | | | | |
| 8 | 401 | UV-401, V-401, VS-401 | | | | 8 | 392 | V-392 Pickup Models | | G | 21475 | |
| | | Single Inlet | D | | 21476 | | | | | | | |
| | | Loadstar Models | G | | 21476 | | | | | | | |
| 8 | 421 | 6.9L | | | | 8 | 401 | UV-401, V-401, VS-401 | | G | 22808 ¹⁴ | |
| | | Single Inlet | D | | 21475 | | | | | | | |
| | | Dual Inlet | D | | 21152 | | | | | | | |

- 1 Inlet & Outlet on opposite side.
- 2 Also available in 7" diameter 22810 Muffler (all Aluminized Steel).
- 3 For models w/Duals use (2) 21475 or 22822 w/Dual Inlet & Single Outlet.
- 8 For models w/Duals use (2) 21476 Mufflers.
- 9 For models w/5" exhaust system use 22964 Mega Flow Muffler.

- 11 For single exhaust w/3½" Inlet use 22808 Muffler.
- 14 Also available, 22822 Muffler w/Dual Inlet & Single Outlet.
- 18 Requires 41975 Reducer to complete installation.
- 20 Two Mufflers required.
- 21 For models w/duals use (2) 21169 Mufflers.

ACCESSORIES

TECH-FIT

HEAVY DUTY TRUCK
GVW 7-8

APPLICATION BY ENGINE

MEDIUM DUTY TRUCK
GVW 3-6

SCHOOL BUS

AGRICULTURAL

MUFFLER SPECS

O.E. CROSS INDEX

APPLICATION BY ENGINE

Heavy Duty Mufflers for Trucks, Stationary & Off-Road Equipment

| Cyl. | C.I.D. | Engine Model | Fuel | Mega Flow Muffler | Muffler | Cyl. | C.I.D. | Engine Model | Fuel | Mega Flow Muffler | Muffler | | | | |
|-------------------------------------|---------------|--|------|-------------------|---------------------|------------------------------|--------|--|------|-------------------|---------|-------------|---|--|-------|
| INTERNATIONAL ENGINES Cont'd | | | | | | MACK ENGINES Cont'd | | | | | | | | | |
| 8 | 404 | MV-404 | G | | 21476 | 6 | 671 | E6-200, E6-250, E6-260, E6-275, E6-315, E6-350 | | | | | | | |
| 8 | 445 | 7.3 Liter | D | | 21475 | | | | | | | | | | |
| 8 | 461 | UV-461 | | | | 6 | 671 | EMC6-237, EMC6-250, EMC6-275, EMC6-285 | | | | | | | |
| | | Single | G | | 22808 ¹⁴ | | | | | | | | | | |
| | | Dual | G, D | | 21152 | | | | | | | | | | |
| | | Single | D | | 21174 ¹ | | | | | | | | | | |
| 8 | 462 | DV-462, DV-462B | | | | 6 | 672 | END-672, END-673, ENDT-673, ENDT-675, ENDT-676, ETZ673, ETZ675, EM6-237, EM6-250, EM6-275, EM6-285 | D | 22965 | 22936 | | | | |
| | | Vertical | D | 22965 | | | | | | | | | | | |
| 8 | 478 | V-478, VS-478 | | | | 6 | 707 | END-707, END-711 | | 22965 | 22936 | | | | |
| | | Single | G | | 22808 ¹⁴ | | | | | | | | | | |
| | | Duals, 2 required | G | | 21152 | | | | | | | | | | |
| 8 | 549 | UV-549, V-549, VS-549, FTV-549, DV-550B, D150, D170, D190, DV550 | | | | 8 | 728 | E7, EM7 | D | 22970 | 22941 | | | | |
| | | Single | G | | 22808 ¹⁴ | 8 | 864 | END-864, ENDT-864 | D | 22965 | | | | | |
| | | Dual | G, D | | 21152 | | | | | | | | | | |
| | | Single | D | | 21174 ¹ | | | | | | | | | | |
| 8 | 550 | DV-550 | | | | 8 | 998 | E9-400, E9-440, E9-450, E9-500, EM9-400, ETAZ1000, ETAZ1005A | D | 22966 | | | | | |
| | | Vertical | D | 22965 | | | | | | | | | | | |
| | | Horizontal | D | | 21174 ¹ | | | | | | | | | | |
| 8 | 551 | 9.0L | D | 22965 | 22936 | MERCEDES-BENZ ENGINES | | | | | | | | | |
| 8 | 573 | DVT-573 | | | | 4 | 108 | OM-636 | D | | 21169 | | | | |
| | | Duals, 2 required Vertical | D | | 21464 | 4 | 231 | OM-314 | D | | 21475 | | | | |
| ISUZU ENGINES | | | | | | 5 | 337 | OM-355 | D | | 21476 | | | | |
| 4 | 238 | 4BD1, 4BD1-T | D | | 22577 | 6 | 346 | OM-352, OM352A, OM 352NA | | | | | | | |
| 6 | 513 | 6SAIT | D | 22965 | 22936 | | | | | | | w/2½" Inlet | D | | 21475 |
| | | | | | | | | w/3" Inlet | D | | 21476 | | | | |
| MACK ENGINES | | | | | | PERKINS ENGINES | | | | | | | | | |
| 6 | 376 | E3-180, E3-210 | D | 22969 | 22916 | 3 | 144 | 3-144 | D | | 21169 | | | | |
| 6 | 431, 438, 457 | EN-431A, EN-438, EN-457 | G, D | | 21476 | 4 | 99 | 4-99 | D | | 21169 | | | | |
| | | EN-464, EN-464A, EN-464B, EN-464C | G, D | | 22808 | 4 | 107 | 4-107, 4-108 | D | | 21169 | | | | |
| 6 | 464 | EN-464, EN-464A, EN-464B, EN-464C | G, D | | 22808 | 4 | 154 | 4-154, NA-70 | D | | 21169 | | | | |
| 6 | 471 | EN-471A | D | | 22808 | 4 | 192 | P4 | D | | 21475 | | | | |
| 6 | 475 | END-475, ENDT-475, | D | 22965 | 22936 | 4 | 204 | 4-203 | D | | 21475 | | | | |
| 6 | 477 | ETZ477, E6-210 | D | 22963 | 22920 | 4 | 236 | 4-236, NA-80 | D | | 21475 | | | | |
| 6 | 510 | EN-510A, EN510C, END-510 | G, D | | 22808 | 4 | 270 | 4-270 | D | | 21475 | | | | |
| | | | | | | 6 | 288 | P-6 | D | | 21476 | | | | |
| | | | | | | 6 | 305 | 6-305 | | | | | | | |
| | | | | | | | | | | | | w/2½" Inlet | D | | 21475 |
| | | | | | | | | | | | | w/3" Inlet | D | | 21476 |

1 Inlet & Outlet on opposite side.

2 Also available is 7" diameter 22810 Muffler (all Aluminized Steel).

3 For models w/Duals use (2) 21475 or 22822 w/Dual Inlet & Single Outlet.

8 For models w/Duals use (2) 21476 Mufflers.

9 For models w/5" exhaust system use 22964 Mega Flow Muffler.

11 For single exhaust w/3½" Inlet use 22808 Muffler.

14 Also available, 22822 Muffler w/Dual Inlet & Single Outlet.

18 Requires 41975 Reducer to complete installation.

20 Two Mufflers required.

21 For models w/duals use (2) 21169 Mufflers.

APPLICATION BY ENGINE

Heavy Duty Mufflers for Trucks, Stationary & Off-Road Equipment

| Cyl. | C.I.D. | Engine Model | Fuel | Mega Flow Muffler | Muffler | Cyl. | C.I.D. | Engine Model | Fuel | Mega Flow Muffler | Muffler | | | |
|-------------------------------|--------|---------------------------------------|--------------------|-------------------|--------------------|--------------------------------|--------|--|-------|------------------------------|--------------------|------|--|--|
| PERKINS ENGINES Cont'd | | | | | | WAUKESHA ENGINES Cont'd | | | | | | | | |
| 6 | 354 | 6-354, 6-354-2, NA-120 | | | | 6 | 517 | 6SRKR | | | | | | |
| | | w/2½" Inlet | D | | 21475 | | | w/3" Inlet | G | | 21476 | | | |
| | | w/3" Inlet | D | | 21476 | | | w/3½" Inlet | G | | 22808 | | | |
| 8 | 510 | NA-180 | | | | 6 | 525 | 140GK, 140GKB | | | | | | |
| | | Vertical | D | 22965 | | | | w/3" Inlet | G | | 21476 | | | |
| | | Horizontal | D | | 21174 ¹ | | | w/3½" Inlet | G | | 22808 | | | |
| 8 | 511 | V8-510 | | | | 6 | 554 | 140GZ, 140GZB, F554G | | | | | | |
| | | Vertical | D | 22965 | | | | w/3" Inlet | G | | 21476 | | | |
| | | Horizontal | D | | 21174 ¹ | | | w/3½" Inlet | G | | 22808 | | | |
| 8 | 540 | TV8-540 | | | | 6 | 779 | 135GKB, 145GK, 145GKB 148DK, 148DKB | | | | | | |
| | | | D | | 22941 | | | w/3" Inlet | G, D | | 22808 | | | |
| | | NA-210 | | | | | | w/3½" Inlet | D | | 21476 | | | |
| 8 | 605 | NA-210 | | | | 6 | 817 | 145GZ, 145GZB, F817G | | | | | | |
| | | Vertical | D | 22965 | | | | | | | 21174 ¹ | | | |
| | | Horizontal | D | | 21174 ¹ | | | | | | 21174 ¹ | | | |
| WAUKESHA ENGINES | | | | | | WHITE ENGINES | | | | | | | | |
| 4 | 129 | 180DAC | D | | 21169 | 6 | 1197 | F1197G, WAK, WAKB, WAKC, 6WAK, 6WAKB | | | | | | |
| 4 | 133 | FC | G | | 21169 | 6 | 1197 | F-1197D, R-1197DS, WAKD, WAKDB, WAKDS, WAKDBS, 6WAKD | | | | | | |
| 4 | 144 | 180GL, 180GLB, 180DLC | G, D | | 21169 | | | Vertical, 2 required | D | 22965 | | | | |
| 4 | 155 | 180GKB | G | | 21169 | | | Horizontal, 2 required | D | | 21174 ¹ | | | |
| 4 | 194 | 185DAC | D | | 21169 | WHITE ENGINES | | | | | | | | |
| 4 | 216 | 185DLC | D | | 21169 | 6 | 237 | 65A | G | | 21169 | | | |
| 6 | 185 | XAH | G | | 21169 | 6 | 245 | 55A | G | | 21169 | | | |
| 6 | 216 | 185GL, 185GLB | G | | 21169 | 6 | 250 | 100A | G | | 21169 | | | |
| 6 | 265 | 190GL, 190GLB, 190LB, 190DLC, 190DLAC | G, D | | 21169 | 6 | 270 | 110A | G | | 21169 | | | |
| 6 | 302 | 195GL, 195DLAC, 197DLC, 197DLCs | G, D | | 21475 | 6 | 292 | 6-130A | G | | 21152 | | | |
| 6 | 320 | 6BZ, 195GK, 195GKA | G | | 21475 | 6 | 298 | 116A | G | | 21475 | | | |
| 6 | 404 | MZA, 6MZA | | | | 6 | 331 | 6-145, 6-160A, 6-170A | | | | | | |
| | | w/2½" Inlet | G | | 21475 | | | 6 | 340 | 130A, 230A | | | | |
| | | w/3" Inlet | G | | 21476 | | | | | 6 | 362 | 140A | | |
| 6 | 426 | 135GK | | | | 6 | 362 | 186A | | | | | | |
| | | 135GK, 135DK, 135DKB | | | | | | 6 | 386 | 150A, 250A, 450A, 460A, 468A | | | | |
| | | 135DKS, 135DKSB | | | | w/o Split Manifold | G | | | | 22808 | | | |
| | | Vertical | D | 22965 | | w/Split Manifold | G | | 22822 | | | | | |
| Horizontal | D | | 21174 ¹ | 6 | 400 | 6-200A | | | | | | | | |
| 6 | 451 | 135GZ, 135GZB | | | | 6 | 451 | 260A, 370A | | | | | | |
| | | w/3" Inlet | G | | 21476 | | | Split Manifold | | | | | | |
| | | w/3½" Inlet | G | | 22808 | | | w/Split Manifold | | | | | | |
| | | | | | | | | G | | 22822 | | | | |

1 Inlet & Outlet on opposite side.

2 Also available is 7" diameter 22810 Muffler (all Aluminized Steel).

3 For models w/Duals use (2) 21475 or 22822 w/Dual Inlet & Single Outlet.

8 For models w/Duals use (2) 21476 Mufflers.

9 For models w/5" exhaust system use 22964 Mega Flow Muffler.

11 For single exhaust w/3½" Inlet use 22808 Muffler.

14 Also available, 22822 Muffler w/Dual Inlet & Single Outlet.

18 Requires 41975 Reducer to complete installation.

20 Two Mufflers required.

21 For models w/duals use (2) 21169 Mufflers.

ACCESSORIES

TECH-FIT

HEAVY DUTY TRUCK GVV 7-8

APPLICATION BY ENGINE

MEDIUM DUTY TRUCK GVV 3-6

SCHOOL BUS

AGRICULTURAL

MUFFLER SPECS

O.E. CROSS INDEX

APPLICATION BY ENGINE

Heavy Duty Mufflers for Trucks, Stationary & Off-Road Equipment

| Cyl. | C.I.D. | Engine Model | Fuel | Mega Flow Muffler | Muffler | Cyl. | C.I.D. | Engine Model | Fuel | Mega Flow Muffler | Muffler | | |
|-----------------------------|--------|--------------------|------|-------------------|---------|-----------------------------|--------|--------------|--|-------------------|---------|-------|-------|
| WHITE ENGINES Cont'd | | | | | | WHITE ENGINES Cont'd | | | | | | | |
| 6 | 477 | 470A, 477A | | | | 22808 | 8 | 440 | 8-235A | | | | |
| | | w/o Split Manifold | G | | | | | | Duals | G | | 21152 | |
| | | w/Split Manifold | G | | 22822 | | | | | | | | |
| 6 | 504 | 280A, 290A, 380A | | | | 22808 | 8 | 468 | 8-250 | | | | |
| | | w/o Split Manifold | G | | | | | | Duals | G | | 21152 | |
| | | w/Split Manifold | G | | 22822 | | | | | | | | |
| VOLVO-GMC ENGINES | | | | | | | | | | | | | |
| 6 | 531 | 390A, 490A, 531A | | | | 22808 | 6 | 409 | VE7-215A, VE7-2508B | | D | 22966 | |
| | | w/o Split Manifold | G | | | | | | | | | | |
| | | w/Split Manifold | G | | 22822 | | | | | | | | |
| 8 | 390 | 8-207A | | | | 21152 | 8 | 732 | VE12-300AE VE12-330BE VE12-360CE VE12-410DE | | D | 22963 | 22920 |
| | | Duals | G | | | | | | | | | | |

1 Inlet & Outlet on opposite side.

2 Also available is 7" diameter 22810 Muffler (all Aluminized Steel).

3 For models w/Duals use (2) 21475 or 22822 w/Dual Inlet & Single Outlet.

8 For models w/Duals use (2) 21476 Mufflers.

9 For models w/5" exhaust system use 22964 Mega Flow Muffler.

11 For single exhaust w/3½" Inlet use 22808 Muffler.

14 Also available, 22822 Muffler w/Dual Inlet & Single Outlet.

18 Requires 41975 Reducer to complete installation.

20 Two Mufflers required.

21 For models w/duals use (2) 21169 Mufflers.